

Maharashtra University of Health Sciences, Nashik

Following documents need to available on web site

Trust Deed / Bylaws/ Registration Certificate (Trust / Hospital (Bombay Nursing Act))

Faculty- Nursing

Name of College/Institute – BAPUSAHEB THITE COLLEGE OF NURSING

Name of Trust / Society	
Registration Certificate To be uploaded on web site clear and original copy	Trust / Society: - Yes
	Trust Deed / Bylaws: - Yes
	Hospital Ownership Documents: - Yes
	Hospital (Bombay Nursing Act): - Yes
	MPCB Certificate of Parent Hospital: - Yes
Hospital Type as Per Bombay Nursing Act: - Multispecialty	
Hospital (Bombay Nursing Act) issuing Authority: - Yes	
Hospital Bed as per Certificate: - 102 Beds	
Name of the College / Institute (As per First Affiliation letter)	: Bapusaheb Thite College of Nursing
Address	: S. No. 1143/B, 1143/1, Pune - Ahmednagar Bypass Road, Shirur (Ghodnadi), Dist. Pune - 412210, Maharashtra (India)
Email ID	: btconbscshirur24@gmail.com
Telephone / Mobile No.(s)	: 9850250943
Website	: www.btconshirur.edu.in
College Code	: 152158

Here by I declare all relevant document uploaded are clear and visible on web site & are true as per my best knowledge

Any Other, Please Specify: - NIL



Date: - 15/01/2026

Dean/ Principal Stamp & Signature

Dr. Sheetal Barde
Principal

Shri Chhatrapati Sambhaji Shikshan Sanstha's
Bapusaheb Thite College of Nursing
Shirur (Ghodnadi), Dist. Pune 412210




नोंदणीचे प्रमाणपत्र

याद्वारे प्रमाणपत्र देण्यात येते की, खाली वर्णन केलेली सार्वजनिक विश्वस्तव्यवस्था ही आज, मुंबई सार्वजनिक विश्वस्तव्यवस्था अधिनियम, १९५० (सन १९५० च्या मुंबई अधिनियम क्रमांक २९) या अन्वये पुणे विभाग, पुणे येथील सार्वजनिक विश्वस्तव्यवस्था नोंदणी कार्यालयात योग्य रीतीने नोंदण्यात आली आहे.

सार्वजनिक विश्वस्तव्यवस्थेचे नाव: श्री. छत्रपती संभाजी शिक्षण संस्था, घोडनदी, ता. शिरूर, जि. पुणे
 सार्वजनिक विश्वस्तव्यवस्थांच्या नोंदणी पुस्तकातील क्रमांक: पुफ. पुप२३ (पुणे)
 श्री. निवृत्ती उर्फ बापूसाहेब थिटे, गुलबर्गी यांचे प्रमाणपत्र दिले.
 पुणे ३७

आज दिनांक २६ एप्रिल १९८९ रोजी माझ्या सहीनिशी दिले.



सही: श्री. थिटे
 सहायक उप-आयुक्त
 हद्द: पुणे विभाग, पुणे

Principle
Principal
 Shri. Chhatrapati Sambhaji Shikshan Sanstha
 Bapusaheb Thite College of Nursing (B.Sc.)
 Shirur (Ghodnadi), Dist. Pune 412210



President
President
 Shri. Chhatrapati Sambhaji Shikshan Sanstha
 Shirur (Ghodnadi), Dist. Pune - 412210

President
President
 Shri. Chhatrapati Sambhaji Shikshan Sanstha
 Shirur (Ghodnadi), Dist. Pune - 412210

क्रमांक 18233



नोंदणी प्रमाणपत्र

सस्था नोंदणी अधिनियम, १८६०

(१८६० चा अधिनियम २१)

नोंदणी क्रमांक

मध्याह्निक / ४४६५ / ८८ पुणे

याद्वारे असे प्रमाणित करण्यात येते की, श्री. चतुर्पती स्वामी शिक्षण संस्था, शिर्पुर, घोडनादी तालुका, जि. पुणे

खालील तारखेस सस्था नोंदणी अधिनियम, १८६० (सन १८६० चा अधिनियम २१) अन्वये योग्य रीत्या नोंदणी करण्यात आली.

तारीख २४ फेब्रुवारी १९८८ रोजी माझ्या सहीनिशी दिले.

[Signature]
संस्थाचे सहायक निबंधक,
पुणे विभाग.



[Signature]
President

Shri. Chhatrapati Sambhaji Shikshan Sanstha
Shirur (Ghodnadi), Dist. Pune - 412210

[Signature]
Principal

Shri. Chhatrapati Sambhaji Shikshan Sanstha's
Bapusaheb Thite College of Nursing (B.Sc.)
Shirur (Ghodnadi), Dist. Pune 412210

[Signature]
President
Shri. Chhatrapati Sambhaji Shikshan Sanstha
Shirur (Ghodnadi), Dist. Pune - 412210



GOVERNMENT OF MAHARASHTRA
PUBLIC HEALTH DEPARTMENT

**Certificate of Registration under Section 5 of the
Bombay Nursing Homes Registration
(Under Rule 5)
(Amendment Act 2005)
Maharashtra Act No.2 of 2006**

NO.466

This is to certify that Dr.Dhananjay Sampatrao Pote, (MD, Anae),Dr. Hemant Chandrakant Palave (MD Med) & Dr. Akashkiran Vijayrao Somvanshi (D.Ortho) has been registered under the Bombay Nursing Homes Registration Act, 1949 in respect of Shri. Ganpati Health Care's Vedanta Criticare Multispeciality Hospital Cardiac & Advance Trauma Care Center situated at 28/2/B/2, Mahadev Nagar, Joshiwadi, Old Nagar-Pune Highway, Shirur, Dist. Pune-412210 and has been authorized to carry on the said Nursing Home.

Registration No.466


Maternity Patients 06 Beds

Other Nursing Patients 96 Beds

Date of Registration:- 01.03.2019.

Date of issue of Certificate:- 11.03.2025.

This certificate shall be valid upto **31st March 2028.**



M. D. G. K.
Civil Surgeon, Pune.
Civil Surgeon, Pune

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/M.S.I

Date: 04/01/2024

No:- Format1.0/CC/UAN No.0000176516/CE/2401000548

To,
SHRI GANPATI HEALTH CARE
Gat No 280 2 B 2, At. Post.-Shirur, Tal.-Shrirur, Dist.-
Pune-412210.
Email:shriganpatioffice@gmail.com
Contact No.:9860899858



Grant consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Your application for Combine Consent and Bio-Medical Waste Authorization dated 16/07/2023
 2. This office e-mail on 27/10/2023
 3. Documents uploaded on 03/11/2023
 4. Penal Fees paid on 31/11/2023
 5. Minutes of 22nd CC meeting held on 26/12/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. Commissioning of unit or 5 years whichever is earlier
2. The capital investment of the HCF is ₹835.00 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 1459.00 M² with Built-up area 3235.50 M².
4. **Activities Included**
 - a. Total Number of Beds : **102 Nos.** (As per BNH certificate no. 0 valid upto 01-07-2023)
 - I. General Beds : **49 Nos**
 - II. ICU/ICU Beds : **28 Nos**
 - III. Operation Theatre : **3 Nos**
 - IV. Maternity Beds : **6 Nos**
 - V. Other Beds : **16 Nos**
 - b. Pathology Lab Average Sample/day:- **50.00 Nos.**
 - c. Blood Bank No. of Bags/Month:- **50.00**
 - d. Medical Store(s):- **2.00 Nos.**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 51 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

<i>Sr No</i>	<i>Type of Waste</i>	<i>HW Category no.</i>	<i>Quantity</i>	<i>UOM</i>	<i>Disposal</i>
1	35.3 Chemical sludge from waste water treatment	35.3	As per Actual	--NA--	-

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Life Secure Enterprises, Talegaon,Pune** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. The Bank Guarantee of Rs. 1.0 Lakh towards installation of combine STP & ETP of adequate capacity with in Six Months period from the date of issuance of CCA for treatment of Sewage & Effluent generated in hospital.
18. You shall apply for 1st consent to operate with relevant documents viz., BNH Certificate, CBWTF Membership, installation Certificate of STP & ETP & BMW Separate Storage Area details etc, before commencement of the Hospital activity.
19. You shall not start hospital activity till obtaining 1st Consent to Operate from Board.
20. You shall submit the bank guarantee of Rs. 1.50 Lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Pune within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



Disnazg

3db45a15
4ff88f66
8b522a2b
506bfff6
a38bbfaa
fb745d72
053eae50
37195cfa

Signed by: Dr. Avinash Dhakne
Member Secretary
For and on behalf of
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2024-01-04 19:56:17 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	25000.00	TXN2307002117	16/07/2023	Online Payment
2	141000.00	TXN2311000561	03/11/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune II
- Regional Officer, MPCB Pune is directed to ensure submission of Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.
SRO - Pune-II is directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	46.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	5.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	40.0	As per clause 'C'	50% recycle for flushing in toilet and 50% gardening purpose.
2	Trade effluent	4.0	As per clause 'C'	100% for gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	D.G. SET (160 KVA)	Diesel	7.00 Ltr/Hr	3.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	0.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Life Secure Enterprises, Talegaon,Pune Talegaon,Pune
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	0.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	0.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Life Secure Enterprises, Talegaon,Pune Talegaon,Pune
3	White (Translucent)	Waste sharps including Metals	0.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Life Secure Enterprises, Talegaon,Pune Talegaon,Pune
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Life Secure Enterprises, Talegaon,Pune Talegaon,Pune
		b) Metallic body implants	0.00		

Responsibilities of CBWTF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Life Secure Enterprises, Talegaon, Pune** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Performance		
1	To provide combine STP & ETP with adequate capacity	Six Month	100,000.00
2	To provide BMW separate storage facility as per guidelines of CPCB	Six months	50,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.



General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

